

ETHERLINE® ACCESS U05T/U08T

Unmanaged switches for industrial communication

Industrial network switches for ethernet based solutions in Smart Factories.

Info

Redundant power inputs

Robust metal housing and DIN rail mounting

Fanless – maintenance free



Mechanical and plant engineering



Automation & fältinstallation

Benefits

Improve your total cost of ownership with faster installation and lower downtime

Most flexible and globally present solutions from one hand

Product features

RJ45 Ports: 10/100BaseT(X)

Packet Buffer Size: 512 kbit

Broadcast storm protection

Redundant Power Input: 24 VDC

Norm references / Approvals

Shock IEC 60068-2-27

Freefall IEC60068-2-32

Vibration IEC 60068-2-6

Last Update (30.12.2017)

©2017 Lapp Group - Technical changes reserved

Product Management www.lappkabel.de

You can find the current technical data in the corresponding data sheet.

PN 0456 / 02_03.16

ETHERLINE® ACCESS U05T/U08T**Technical Data**

Classification ETIM 5:	ETIM 5.0 Class-ID: EC000734 ETIM 5.0 Class-Description: Network switch
Classification ETIM 6:	ETIM 6.0 Class-ID: EC000734 ETIM 6.0 Class-Description: Network switch
Protection rating:	IP 30
Temperature range:	-10°C to +60°C

Note

Photographs and graphics are not to scale and do not represent detailed images of the respective products.
Prices are net prices without VAT and surcharges. Sale to business customers only.



ETHERLINE® ACCESS U05T/U08T

Article number	Article designation	Type	RJ45 ports	MTBF in years
21700118	ETHERLINE® ACCESS U05T	Unmanaged	5	> 347
21700119	ETHERLINE® ACCESS U08T	Unmanaged	8	> 277

Last Update (30.12.2017)

©2017 Lapp Group - Technical changes reserved

Product Management www.lappkabel.de

You can find the current technical data in the corresponding data sheet.

PN 0456 / 02_03_16